








- 
- 
- 
- 
- TinyMCE 



WordPress PHPWordPress 2.5



-
-



WordPress

- [caption] -
- [gallery] -
- [audio] -
- [video] -
- [playlist] -
- [embed] -



-
- “
-
-
-





- [WordPress](#) 

--	--	--	--

--	--	--	--

`$func` `$tag` `add_shortcode()`

```
add_shortcode(
    string $tag,
    callable $func
);
```

[wporg] wporg_shortcode

```
add_shortcode('wporg', 'wporg_shortcode');

function wporg_shortcode( $atts = [], $content = null) {

    // do something to $content

    // always return

    return $content;

}
```

--	--	--	--	--

Shortcode `$tag` `remove_shortcode()`

```
remove_shortcode(
    string $tag
);
```

`add_action()`

```
shortcode_exists()
```



-
-



[wporg]content to manipulate[/wporg]

[\$tag] [/\$tag]




[wporg]

```
function wporg_shortcode( $atts = array(), $content = null ) {  
    // do something to $content  
    // always return  
    return $content;  
}  
add_shortcode( 'wporg', 'wporg_shortcode' );
```

\$atts \$content \$content \$atts

\$content null is null

[\$tag] [/\$tag]





[\$tag]

[\$tag]

```
[wporg title="WordPress.org"]  
Having fun with WordPress.org shortcodes.  
[/wporg]
```

3

- \$atts - [\$tag]
- \$content - " WordPress.org "
- \$tag - string - [\$tag]

```
function wporg_shortcode( $atts = array(), $content = null, $tag = " ) { }
```



-
- array_change_key_case()
- shortcode_atts(\$atts
-



[wporg] CSS

```

/**
 * The [wporg] shortcode.
 *
 * Accepts a title and will display a box.
 *
 * @param array $atts Shortcode attributes. Default empty.
 * @param string $content Shortcode content. Default null.
 * @param string $tag Shortcode tag (name). Default empty.
 * @return string Shortcode output.
 */
function wporg_shortcode( $atts = [], $content = null, $tag = '' ) {
    // normalize attribute keys, lowercase
    $atts = array_change_key_case( (array) $atts, CASE_LOWER );

    // override default attributes with user attributes
    $wporg_atts = shortcode_atts(
        array(
            'title' => 'WordPress.org',
        ), $atts, $tag
    );

    // start box
    $o = '<div class="wporg-box">';

    // title
    $o .= '<h2>' . esc_html( $wporg_atts['title'] ) . '</h2>';

    // enclosing tags
    if ( ! is_null( $content ) ) {
        // $content here holds everything in between the opening and the closing tags of your shortcode. eg.g [my-shortcode]content[/my-shortcode].
        // Depending on what your shortcode supports, you will parse and append the content to your output in different ways.
        // In this example, we just secure output by executing the_content filter hook on $content.
        $o .= apply_filters( 'the_content', $content );
    }

    // end box
    $o .= '</div>';

```



```
// return output
return $o;
}

/**
 * Central location to create all shortcodes.
 */
function wporg_shortcodes_init() {
    add_shortcode( 'wporg', 'wporg_shortcode' );
}

add_action( 'init', 'wporg_shortcodes_init' );
```

☐ TinyMCE ☐

Text

WordPress

--	--	--	--


[audio]

Image not found or type unknown

--	--	--	--


[caption] div

Image not found or type unknown




[gallery] div

Image not found or type unknown



[playlist] html5

Image not found or type unknown



[video] [audio] 

Image not found or type unknown

